

# Mary Tavy and Brentor Primary School.

## Progression in Calculations Policy.



At the center of the Mary Tavy and Brentor Primary School's approach to the teaching of mathematics is the belief that all pupils have the potential to succeed. Children should all have access to their age-appropriate curriculum content and, rather than being extended with new learning, they should deepen their conceptual understanding by tackling varied and challenging problems. Similarly with calculation strategies, pupils must not simply rote learn procedures but demonstrate their understanding of these principles and concepts through the use of concrete materials and pictorial representations to ensure fluency and depth of understanding.

The rationale of the concrete-pictorial-abstract (CPA) approach is that for pupils to have a true understanding of a mathematical concept, they need to master all three phases. These do not have to be taught in a linear way, reinforcement is achieved by going back and forth between these representations. Pupils who grasp concepts rapidly should be challenged through rich and sophisticated problems before any acceleration through new content.

Those pupils who are not sufficiently fluent with earlier material should consolidate their understanding, including additional practice, before moving on.

There is also an emphasis placed on instant recall of number bonds and times tables. These need to be mastered to aid with calculations and more challenging problems in readiness for the Multiplication Test at the end of Year 4.

This document outlines the progression of different calculation strategies that could be taught and used from Reception – Year 6, in line with the requirements of the 2014 Primary National Curriculum. This guidance is to make teachers and parent/carers aware of the progression of strategies that pupils are formally taught that will support them to perform mental and written calculations. In addition, it will support teachers in identifying appropriate pictorial representations and concrete materials to help develop understanding. We have assigned objectives to year groups based upon National Curriculum expectations. However, it is important to remember that it may sometimes be necessary to revisit strategies from previous year groups if children are working below age related expectations.

It is also important that a school who has mixed aged classes, as we do, will have a more flexible delivery model enabling the teacher to best meet the need of each class. This guidance only details the strategies; teachers must plan opportunities for pupils to apply these. Concrete materials shown here are for exemplification; there are many other resources which can be used to aid pupil understanding.

Ideas and images have been derived from The White Rose Calculation policy, The DFE Ready-to-progress materials, and NCETM materials.

This is a working document that will change and evolve over time to reflect changes in our classroom practice and the needs of the children at Mary Tavy and Brentor Primary school.



## Progression in each calculation.

	Year R	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
Addition	Counting a set of objects. Knowing 1 more or 1 less Place numbers in order of size	Combining two parts to make a whole: part whole model Starting at the bigger number and counting on Regrouping to make 10	Adding three single digits. Column method – no regrouping	Column method- regrouping. (up to 3 digits)	Column method- regrouping. (up to 4 digits)	Column method- regrouping. (with more than 4 digits) (Decimals- with the same amount of decimal places)	Column method- regrouping. (Decimals- with different amounts of decimal places)
Subtraction	One less than / Taking away ones	Taking away ones Counting back Find the difference Part whole model Make 10	Counting back Find the difference Part whole model Make 10 Column method- no regrouping	Column method with regrouping. (up to 3 digits)	Column method with regrouping. (up to 4 digits)	Column method with regrouping. (with more than 4 digits) (Decimals- with the same amount of decimal places)	Column method with regrouping. (Decimals- with different amounts of decimal places)
Multiplication	Doubling	Doubling Counting in multiples Arrays (with support)	Doubling Counting in multiples Repeated addition Arrays- showing commutative multiplication	Counting in multiples Repeated addition Arrays- showing commutative multiplication Grid method	Column multiplication  (2 and 3 digit multiplied by 1 digit)	Column multiplication  (up to 4 digit numbers multiplied by 1 or 2 digits)	Column multiplication  (multi digit up to 4 digits by a 2 digit number)
Division	Halving	Sharing objects equally Division as grouping	Division as grouping Division within arrays	Division within arrays Division with a remainder Short division (2 digits by 1 digit- concrete and pictorial)	Division within arrays Division with a remainder Short division (up to 3 digits by 1 digit- concrete and pictorial)	Short division  (up to 4 digits by a 1 digit number interpret remainders appropriately for the context)	Short division Long division  (up to 4 digits by a 2 digit number- interpret remainders as whole numbers, fractions or round)

## Mathematical language

The 2014 National Curriculum is explicit in articulating the importance of children using the correct mathematical language as a central part of their learning. Indeed, in certain year groups, the non-statutory guidance highlights the requirement for children to extend their language around certain concepts.

It is therefore essential that teaching using the strategies outlined in this policy is accompanied by the use of appropriate mathematical vocabulary. New vocabulary should be introduced in a suitable context (for example, with relevant real objects, apparatus, pictures, or diagrams) and explained carefully.

High expectations of the mathematical language used are essential, with teachers only accepting what is correct.

Correct	Incorrect
ones	units
is equal to	equals
zero	oh (the letter O)


**The expectation is that pupils will, at all times, answer in full sentences.**

Sentence stems can be used to help pupils with this if required.

Acceptable	Not acceptable
The answer is 17	17
9 multiplied by 3 is 27	27

The quality and variety of language that pupils hear and speak are key factors in developing their mathematical vocabulary and presenting a mathematical justification, argument, or proof.

*2014 Maths Programme of Study*



## The number system and place value


A full understanding of place value within the number system is the foundation on which mathematical development is built. A range of resources are used to develop children's understanding of this fundamental concept.

### Place Value Charts used with place value counters (or Base 10 or money)

100s	10s	1s

2 hundreds + 4 tens + 3 units = 243			
200	+ 40	+ 3	= 243

Place Value Arrows













Gattegno Place Value chart










	= 245
Two hundred and forty five	
	= 434
Four hundred and thirty four	




0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9
1	2	3	4	5	6	7	8	9
10	20	30	40	50	60	70	80	90
100	200	300	400	500	600	700	800	900
1000	2000	3000	4000	5000	6000	7000	8000	9000

## Addition

Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract										
Yr R	Counting a set of objects Knowing 1 more or 1 less Place numbers in order of size	One more One less Bigger Larger			<table border="1"> <tr><td></td><td>3</td></tr> <tr><td></td><td>5</td></tr> <tr><td></td><td>1</td></tr> <tr><td></td><td>2</td></tr> <tr><td></td><td>4</td></tr> </table>		3		5		1		2		4
	3														
	5														
	1														
	2														
	4														
Yr R + 1	Combining two parts to make a whole: part-whole model	Addition Sum Total Parts and wholes Plus Add Altogether More than Equal to Same as	<p>Use cubes to add two numbers together as a group or in a bar:</p>	<p>Use pictures to add two numbers together as a group or in a bar:</p>	<p>Use the part-part whole diagram as shown to move into the abstract:</p> <p style="text-align: center;">5</p> <p style="text-align: center;">3</p> <p style="text-align: center;"><math>4 + 3 = 7</math></p> <p style="text-align: center;">10 = 6 + 4</p>										

Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract
Yr 1	Start at the bigger number and count on		 <p>Start with the larger number on the bead string and then count on to the smaller number 1 by 1 to find the answer.</p> 	<p>Start at the larger number on the number line and count on in ones or in one jump to find the answer.</p> $12 + 5 = 7$ 	<p>Place the larger number in your head and count on the smaller number to find your answer.</p> $5 + 12 = 17$
Yr 1	Regrouping to make 10	<p>Regroup</p> <p>Partition</p>	<p>Regroup 9 + 3 into 10 + 2 before adding together:</p>  <p>Start with the larger number and use the smaller number to make 10</p>    $6 + 5 = 11$	<p>Use pictures or a number line. Regroup or partition the smaller number to make 10 before adding.</p> $3 + 9 =$   <p>Children move on to using an 'empty number line'.</p> <p>E.g. <math>7 + 5</math> becomes <math>7 + 3 + 2</math></p> 	$7 + 4 = 11$ <p>If I am at seven, how many more do I need to make 10? How many more do I add on now?</p> $7 + 5 = 7 + 3 + 2 = 12$




Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract
Yr 2	Adding three single digits	Additio n Sum Total Parts and wholes Plus Add Altogether More than Equal to Same as	$4 + 7 + 6 = 17$ Put 4 and 6 together to make 10. Add 4 and 7 and 6  following on from making 10, make 10 with 2 of the digits (if possible) then add on the third digit. 	 Add together three groups of objects. Draw a picture to recombine the groups to make 10.	 Combine the two numbers that make 10 and then add on the remainder.
Yr 2	Column addition – without regrouping	Regrou p Partitio n	Partition the numbers into tens and ones using base 10 blocks, place value counters. Add together the ones first then add the tens. Finally add the 2 totals together. $24 + 15 = 39$   $44 + 15 = 59$ 	After practically using the base 10 blocks and place value counters, children can draw the counters to help them to solve additions. $32 + 23 = 55$ 	$21 + 42 =$  Record the calculation vertically adding the column of ones then the column of tens.





Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract
<p>Yr 3 (3 digits)</p> <p>Yr 4 (4 digits)</p> <p>Yr 5 + (4+ digits and decimals with same np. dp)</p> <p>Yr 6 (decimals with diff no. dp)</p>	<p>Column addition – with regrouping</p>	<p>Exchange</p> <p>Regroup</p> <p>Partition</p>	<p>Make both numbers with place value counters.</p>  <p>Add up the ones and exchange 10 ones for one 10. Add it to the other tens:</p>  <p>Add up the rest of the columns, exchanging the 10 counters from one column for the next place value column until every column has been added.</p> <p>This can also be done with Base 10 to help children clearly see that 10 ones equal 1 ten and 10 tens equal 100.</p> <p>As children move on to decimals, money and decimal place value counters can be used to support learning.</p>	<p>Children can draw a pictorial representation of the columns and place value counters to further support their learning and understanding.</p> 	<p>Begin by partitioning the numbers:</p> <p style="text-align: center;">For 76 + 47</p> $\begin{array}{r} 70 + 6 \\ 40 + 7 \\ \hline 110 + 13 = 123 \end{array}$ <p>Move on to clearly show the exchange below the addition:</p> $\begin{array}{r} 70 + 6 \\ 40 + 7 \\ \hline 120 + 3 = 123 \\ \text{10} \end{array}$ <p>This then becomes the compact method where numbers aren't partitioned but exchanges still take place:</p> $\begin{array}{r} 76 \\ + 47 \\ \hline 123 \\ \text{11} \end{array}$ <p>As the children move on, introduce decimals with and without the same number of decimal places. Money can also be used here.</p>








<u>72.8</u>	2 3 . 3 6 1
<u>+ 54.6</u>	9 . 0 8 0
<u>127.4</u>	5 9 . 7 7 0
1 1	+ 1 . 3 0 0
	<u>9 3 . 5 1 1</u>
	2 1 2







**N.B. Exchanged digits need to be recorded below the line when adding.**







## Subtraction


Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract
Yr R Yr 1	One less than / Taking away ones	One less Take away Less than The difference Subtract Minus Fewer Decrease	Use physical objects, counters, cubes numicon, etc, to show how objects can be taken away.  $6 - 2 = 4$ 	Cross out drawn objects to show what has been taken away.   $15 - 3 = 12$   $4 - 2 = 2$	$18 - 3 = 15$  $8 - 2 = 6$  Although number sentences are recorded in the concrete and pictorial methods children are introduced to them on their own while encouraging them to mentally take away ones.

<p>Yr R</p> <p>Yr 1</p> <p>Yr 2</p>	<p>Counting back</p>	<p>One less</p> <p>Take away</p> <p>Less than</p> <p>The difference</p> <p>Subtract</p> <p>Minus</p> <p>Fewer</p> <p>Decrease</p>	<p>Make the larger number in your subtraction. Move the beads along your bead string as you count backwards in ones.</p> <p>13 – 4</p>  <p>Use counters and move them away from the group as you take them away counting backwards as you go.</p> 	<p>Count back on a number line or number track</p>  <p>Start at the bigger number and count back the smaller number showing the jumps on the number line.</p>  <p>This can progress all the way to counting back using two 2 digit numbers.</p>	<p>For 13 – 4, put 13 in your head and count back 4.</p> <p>What number are you at?</p> <p>Use your fingers to help.</p>
-------------------------------------	----------------------	---	--	---	--


Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract
Yr 1 Yr 2	Find the difference	One less Take away Less than The difference Subtract Minus Fewer Decrease	<p>Compare amounts and objects to find the difference.</p>  <p>Use cubes to build towers or make bars to find the difference.</p>  <p>Use basic bar models with items to find the difference.</p>	<p>Count on to find the difference:</p>  <p>Draw bars to find the difference between 2 numbers.</p> <p><b>Comparison Bar Models</b></p> <p>Lisa is 13 years old. Her sister is 22 years old. Find the difference in age between them.</p> 	<p>Hannah has 23 sandwiches, Helen has 15 sandwiches. Find the difference between the number of sandwiches.</p>
Yr 1 Yr 2	Part Whole Model	Part Whole Inverse	<p>Link to addition - use the part whole model to help explain the inverse between addition and subtraction.</p>  <p>If 10 is the whole and 6 is one of the parts. What is the other part?</p> $10 - 6 =$	<p>Use a pictorial representation of objects to show the part whole model.</p>  $6 - 2 = 4$	 <p>Move to using numbers within the part whole model.</p>

Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract																						
Yr 1 Yr 2	Make 10	Ten frame Remaining Take off Count back	$14 - 5 =$  Make 14 on the ten frame. Take away the four first to make 10 and then takeaway one more so you have taken away 5. You are left with the answer of 9.	Start at 13. Count back 3 to reach 10. Then count back the remaining 4 so you have taken away 7 altogether. You have reached your answer. 	$16 - 8 =$ How many do we take off to reach the previous 10? (6) How many do we have left to take off? (2)																						
Yr 2	Column method without regrouping	Column Partition Larger	$75 - 42$  Use Base 10 to make the bigger number then take the smaller number away. Show how you partition numbers to subtract. Again make the larger number first. 	Draw the Base 10 or place value counters alongside the written calculation to help to show working:  	Partitioned numbers are written vertically: For $54 - 22$ <table style="margin-left: auto; margin-right: auto;"> <tr> <td></td> <td>Tens</td> <td>Ones</td> <td></td> </tr> <tr> <td></td> <td>50</td> <td>4</td> <td></td> </tr> <tr> <td>-</td> <td>20</td> <td>2</td> <td></td> </tr> <tr> <td></td> <td>30</td> <td>+ 2</td> <td>= 32</td> </tr> </table> This will lead to a clear written column subtraction: <table style="margin-left: auto; margin-right: auto;"> <tr> <td></td> <td>32</td> </tr> <tr> <td>-</td> <td>12</td> </tr> <tr> <td></td> <td>20</td> </tr> </table>		Tens	Ones			50	4		-	20	2			30	+ 2	= 32		32	-	12		20
	Tens	Ones																									
	50	4																									
-	20	2																									
	30	+ 2	= 32																								
	32																										
-	12																										
	20																										

Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract
Yr 3 (3 digits)  Yr 4 (4 digits)  Yr 5 + (4+ digits and decimals with same np. dp)  Yr 6 (decimals with difft no. dp)	Column method with regrouping	Exchange  Partition	<p>Use Base 10 to start with before moving on to place value counters. Start with one exchange before moving onto subtractions with 2 exchanges.</p> <p>Make the larger number with the place value counters.</p>  <p>Calculations</p> $\begin{array}{r} 234 \\ - 88 \\ \hline \end{array}$ <p>Start with the ones, can I take away 8 from 4 easily? I can't take away 8 ones. I need to exchange one of my tens for ten ones.</p>  <p>Calculations</p> $\begin{array}{r} 234 \\ - 88 \\ \hline \end{array}$ <p>Now I can subtract 8 ones from 14. Next look at the tens. I can't take away 8 tens. I need to exchange a hundred for 10 tens:</p>	<p>Draw the counters onto a place value grid and show what you have taken away by crossing the counters out as well as clearly showing the exchanges you make:</p>  <p>When confident, children can find their own way to record the exchange/regrouping:</p>  <p>Just writing the numbers as shown here shows that the child</p>	 <p>Children can start their formal written method by partitioning the number into clear place value columns.</p>  <p>Moving forward the children use a more compact method.</p> <p>This will lead to an understanding of subtracting any number including decimals:</p>



Now I can take eight tens from the 12 tens and complete the subtraction.














Show children how the concrete method links to the written method alongside their working. Cross out the numbers when exchanging and show where we write our new amount.










understands the method and knows when to exchange/regroup.








$$\begin{array}{r}
 5 \quad 12 \\
 2 \quad \cancel{6} \quad \cancel{3} \quad . \quad 0 \\
 - \quad 2 \quad 6 \quad . \quad 5 \\
 \hline
 2 \quad 3 \quad 6 \quad . \quad 5
 \end{array}$$




## Multiplication

Yr/ Stage	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract
Yr R  Yr 1  Yr 2	Doubling	Double Count on (from, to) Count back (from, to) Count in ones, twos, tens... Is the same as	Use practical activities to show how to double a number.	Draw pictures to show how to double a number.	 <p>Partition a number and then double each part before recombining it back together.</p> <p style="text-align: center;"><math>4 \times 2 = 8</math></p>
Yr R  Yr 1 + Yr 2 (x2, 5, 10)  Yr3 (x3, 4, 8)	Counting in multiples	Multiplied by The product of Groups of Lots of Is equal to	Count in multiples supported by concrete objects in equal groups.   	 <p>Use a number line or pictures to continue support in counting in multiples.</p>	Count out loud in multiples of a number.  Write sequences with multiples of numbers.  2, 4, 6, 8, 10  5, 10, 15, 20, 25, 30

Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract
Yr 2 Yr 3	Repeated addition		<p>Use different objects to add equal groups.</p>   <p><math>3 + 3 + 3</math></p>	<p>There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there?</p>  <p>2 add 2 add 2 equals 6</p> <p>Repeated addition can be shown on a labelled or empty number line. Eg <math>5 + 5 + 5 = 15</math>:</p>   <p>Begin to relate repeated addition to multiplication using 'lots of'. e.g. 3 lots of 5 = 15</p>	<p>Write addition sentences to describe objects and pictures.</p>  <p><math>2 + 2 + 2 + 2 + 2 = 10</math></p> <p>This then leads to writing related multiplication sentences e.g. <math>2 \times 5 = 10</math></p>

Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract
(Yr 1)  Yr 2  Yr 3	Arrays - showing commutative multiplication	Array  Commutative	<p>Create arrays using counters/cubes /numicon to show multiplication sentences.</p>  <p>Eg <math>4 \times 6 = 24</math></p>  <p>Begin to look at arrays in different orientations to make the link between.</p>  <p>Eg <math>5 \times 3 = 15</math> and <math>3 \times 5 = 15</math> (commutativity)</p>	<p>Draw arrays in different rotations to find <b>commutative</b> multiplication sentences.</p>  <p><math>4 \times 2 = 8</math></p>  <p><math>2 \times 4 = 8</math></p>  <p><math>2 \times 4 = 8</math></p>  <p><math>4 \times 2 = 8</math></p> <p>Link arrays to area of rectangles:</p> 	<p>Use an array to write multiplication sentences and reinforce repeated addition.</p>  <p><math>5 + 5 + 5 = 15</math>  <math>3 + 3 + 3 + 3 + 3 = 15</math>  <math>5 \times 3 = 15</math>  <math>3 \times 5 = 15</math></p>

Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract																								
Yr 3	Grid Method	<p>Grid</p> <p>Exchange</p>	<p>Show the link with arrays to first introduce the grid method. Eg <math>4 \times 13</math> 4 rows of 10; 4 rows of 3</p>  <p>Move on to using Base 10 to move towards a more compact method:</p>  <p>4 rows of 13</p> <p>Move on to place value counters to show how we are finding groups of a number. Here, we are multiplying 126 by 4 so we need 4 rows with each containing 26.</p>  <p>Fill each row with 126.</p>  <p>Add up each column, starting with the ones making any exchanges needed. Then you have your answer.</p> 	<p>Children can represent the work they have done with place value counters in a way that they understand.</p> <p>They can draw the counters, using colours to show different amounts or just use circles in the different columns to show their thinking as shown below:</p> 	<p>Start with multiplying 2-digit by 1-digit numbers and showing the addition alongside the grid:</p>  <p>Moving forward, multiply by 2, 3 and 4-digit numbers showing the different rows within the grid method:</p> <p><math>13 \times 28</math></p> <table border="1" data-bbox="1686 711 1944 834"> <tr><td>X</td><td>20</td><td>8</td></tr> <tr><td>10</td><td>200</td><td>80</td></tr> <tr><td>3</td><td>60</td><td>24</td></tr> </table> <p style="text-align: right;">280 + 84 — 364 1</p> <p>Eg <math>1342 \times 18</math></p> <table border="1" data-bbox="1738 946 2078 1110"> <tr><td>X</td><td>1000</td><td>300</td><td>40</td><td>2</td></tr> <tr><td>10</td><td>10000</td><td>3000</td><td>400</td><td>20</td></tr> <tr><td>8</td><td>8000</td><td>2400</td><td>320</td><td>16</td></tr> </table>	X	20	8	10	200	80	3	60	24	X	1000	300	40	2	10	10000	3000	400	20	8	8000	2400	320	16
X	20	8																											
10	200	80																											
3	60	24																											
X	1000	300	40	2																									
10	10000	3000	400	20																									
8	8000	2400	320	16																									

Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract
Yr4 (2 and 3 digit x 1 digit)			<p>Children can continue to be supported by place value counters for carrying out column multiplication. They can partition and record each calculation vertically.</p> $4 \times 3 = 12$ $60 \times 3 = 180$ $64 \times 3 = 192$	<p>Bar modelling and number lines can support learners when solving problems with multiplication alongside the formal written methods.</p> 	<p>Start with long multiplication, reminding the children about lining up their numbers clearly in columns. As with the grid method, numbers of more than one digit are partitioned but this time the calculation is recorded vertically. To support them, children need to write out what they are solving next to their answer.</p> <p>Eg <math>38 \times 7</math></p> $\begin{array}{r} 38 \\ \times 7 \\ \hline 56 \quad (8 \times 7) \\ 210 \quad (30 \times 7) \\ \hline 266 \end{array}$
Yr 5 (4 digits x 1 or 2 digits)	Column multiplication	Column multiplication	<p>It is important at this stage that they always multiply the ones first and note down their answer followed by the tens which they note below.</p>		$\begin{array}{r} 32 \\ \times 24 \\ \hline 8 \quad (4 \times 2) \\ 120 \quad (4 \times 30) \\ 40 \quad (20 \times 2) \\ 600 \quad (20 \times 30) \\ \hline 768 \end{array}$
Yr 6 (4 digits x 2 digits)			<p>The idea of exchanging will support them in moving on to a more compact method: Eg <math>3 \times 324</math></p> 	<p>As with stage 4, children can represent the work they have done with place value counters in a way that they understand.</p> <p>They can draw the counters, using colours to show different amounts or just use circles in the different columns to show their thinking.</p>	<p>This moves to the more compact method, examples shown overleaf.</p>

Start by multiplying the ones digit, recording the last digit of the answer in the answer line but exchanging any tens and putting them under the tens column to be added on after multiplying the tens digit. Again, the last digit in the answer is recorded in the answer line and any hundred are exchanged, this time to the hundreds column, and so on.






Eg  $38 \times 7$







$$\begin{array}{r} 38 \\ \times 7 \\ \hline 266 \\ 5 \end{array}$$





Eg  $38 \times 27$









$$\begin{array}{r} 38 \\ \times 27 \\ \hline 266 \quad (38 \times 7) \\ 760 \quad (38 \times 20) \\ \hline 1026 \\ 1 \end{array}$$

## Division


Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract
Yr R	Halving	Half Halve Count out Share out Left Left over ...is the same as Equal Share Group		One sweet for you, one for me... Is it fair? How many do we each have? 	
Yr R Yr 1	Sharing objects Equally	Divide Half Halve Count out Share out Left Left over Is the same as Is equal to	I have 10 cubes; can you share them equally into 2 groups? 	Children use pictures or shapes to share quantities.  $8 \div 2 = 4$ How many groups of 4 are there in 12 stars? 	Share 9 buns between three People: $9 \div 3 = 3$

Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract
Yr 1 Yr 2	Division as grouping	Equal groups	<p>Divide quantities into equal groups. Use cubes, counters, objects or place value counters to aid understanding.</p>  <p>There are 10 sweets. How many people can have 2 sweets each?</p> 	<p>Use a number line to show jumps in groups. The number of jumps equals the number of groups.</p>  <p>Think of the bar as a whole. Split it into the number of groups you are dividing by and work out how many would be within each group.</p> 	$28 \div 7 = 4$ <p>Divide 28 into 7 groups. How many are in each group?</p>
Yr 2 Yr 3 Yr 4	Division within arrays	Array Inverse	<p>Link division to multiplication by creating an array and thinking about the number sentences that can be created:</p>  <p>Eg <math>15 \div 3 = 5</math> <math>5 \times 3 = 15</math>  <math>15 \div 5 = 3</math> <math>3 \times 5 = 15</math></p>	 <p>Draw an array and use lines to split the array into groups to make multiplication and division sentences.</p>	<p>Find the inverse of multiplication and division sentences by creating four linking number sentences.</p> $7 \times 4 = 28$ $4 \times 7 = 28$ $28 \div 7 = 4$ $28 \div 4 = 7$

Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract
Yr 3 Yr 4	Division with a remainder	Remainder Equal jumps	<p><math>14 \div 3 =</math></p> <p>Divide objects into groups or share equally and see how much is left over:</p> 	<p>Draw dots and group them to divide an amount and clearly show a remainder:</p>  <p>Jump forward in equal jumps on a number line then see how many more you need to jump to find a remainder.</p> <p><math>13 \div 4 = 3 \text{ r}1</math></p>  <p>As knowledge of place value improves, children can begin to jump in multiples of 10:</p> <p><math>63 \div 2 = 30 \text{ r}3</math></p> 	<p>Children use knowledge of times table facts to quickly calculate divisions involving remainders.</p> <p>For example:</p> $27 \div 5 = 5 \text{ r}2$ <p>Go on to combining knowledge of times tables with place value to calculate more difficult divisions.</p> <p>For example:</p> $137 \div 4 = 34 \text{ r}1$

Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract
Yr3 (2 digit by 1 digit)  Yr4 (up to 3 digits by 1 digit)  Yr5 (up to 4 digits by a 1 digit remainder. Interpret remainders based on context)	Short division	Bus stop method	<p>Use place value counters to divide using the bus stop method alongside:</p> <div style="text-align: center;"> <p>Tens      Units</p> <p>3            2</p>  </div> <p><math>42 \div 3 =</math></p> <p>Start with the biggest place value; we are sharing 40 into three groups. We can put 1 ten in each group and we have 1 ten left over:</p> <div style="text-align: center;">  </div> <p>We exchange this ten for ten ones and then share the ones equally among the groups:</p> <div style="text-align: center;">  </div>	<p>Children can continue to use drawn diagrams with dots or circles to help them divide numbers into equal groups.</p>  <p>Encourage them to move towards counting in multiples to divide more efficiently.</p>	<p>Begin with divisions that divide equally with no remainder:</p> $72 \div 4 = 18$  <p><math>872 \div 4 = 218</math>:</p>  <p>Move onto divisions with a remainder:</p> $65 \div 4 = 16r1$  <p><math>432 \div 5 = 86 r 2</math>:</p> 

We look at how much is in 1 group so the answer is 14:










Finally move into decimal places to divide the total accurately.

$$511 \div 35 = 14.6:$$


$$\begin{array}{r} 14.6 \\ 35 \overline{) 511.0} \\ \underline{35} \phantom{0} \\ 161 \phantom{0} \\ \underline{140} \phantom{0} \\ 210 \\ \underline{210} \\ 0 \end{array}$$

$$87.5 \div 7 = 12.5$$

$$\begin{array}{r} 12.5 \\ 7 \overline{) 87.5} \\ \underline{7} \phantom{0} \\ 17 \phantom{0} \\ \underline{14} \phantom{0} \\ 35 \\ \underline{35} \\ 0 \end{array}$$


Yr	Strategy/ Method	New Vocabulary for the Stage	Concrete	Pictorial	Abstract
Yr6 (up to 4 digits by a 2 digit remainder. Interpret remainders as whole numbers, fractions or round)	Long division		<p>It is recommended that instead of using physical counters, students can draw the counters and circle the groups on a whiteboard or in their books. <math>\longrightarrow</math></p> <p>If needed:  <math>71 \div 3 =</math></p> <p>Using Base 10 or place value counters, we start with 7 tens and 1 one, to be divided into 3 groups. We can put 2 tens in each group, so we write a 2 in the tens column. In all, we've put 6 tens into the groups (3 x 2 tens), so we write 6 tens (60) below.</p> <p>We are left with 11 (1 ten and 1 one). We will need to exchange the ten for 10 ones so we can put 3 ones in each group (using 9 ones in all), and we will have a remainder of 2.</p> 	<p>Use this method to explain what is happening and as soon as they have understood what move on to the abstract method as this can be a time consuming process:</p> <p>Eg. <math>2544 \div 12</math></p> <p>How many groups of 12 thousands do we have? None</p>  <p>Exchange 2 thousand for 20 hundreds:</p>  <p>How many groups of 12 are in 25 hundreds? 2 groups. Circle them.</p> 	 <p>432 <math>\div</math> 15 becomes _____</p>  <p>432 <math>\div</math> 15 becomes _____</p>  <p>Answer: <math>28 \frac{4}{5}</math></p> <p><math>\frac{12}{15} = \frac{4}{5}</math></p>

We have grouped 24 hundreds so can take them off and we are left with one:



$$\begin{array}{r} 02 \\ 12 \overline{) 2544} \\ \underline{24} \\ 1 \end{array}$$

Exchange the one hundred for ten tens so now we have 14 tens. How many groups of 12 are in 14? 1 remainder 2:



$$\begin{array}{r} 021 \\ 12 \overline{) 2544} \\ \underline{24} \\ 14 \\ \underline{12} \\ 2 \end{array}$$

Exchange the two tens for twenty ones so now we have 24 ones. How many groups of 12 are in 24? 2

432 ÷ 15 becomes

$$\begin{array}{r} 28.8 \\ 15 \overline{) 432.0} \\ \underline{30} \quad \downarrow \\ 132 \quad \downarrow \\ \underline{120} \quad \downarrow \\ 120 \\ \underline{120} \\ 0 \end{array}$$

Answer: 28.8



### **Develop children's fluency with basic number facts.**

Fluency is dependent upon accurate and rapid recall of basic number bonds to 20 and times-tables facts. A short time every day on these basic facts quickly leads to improved fluency. This can be done using simple whole class chorus chanting. This is not meaningless rote learning; rather, this is an important step to developing conceptual understanding through identifying patterns and relationships between the tables (for example, that the products in the 6× table are double the products in the 3× table). This helps children develop a strong sense of number relationships, an important prerequisite for procedural fluency.

Children learn their multiplication tables in the order:

2,5,10,3, 4, 6, 7, 8, 9,11,12

This order provides opportunities to make connections:

At MTB, we expect such facts to be practised for a short time each day.

### **Develop children's fluency in mental calculation.**

Efficiency in calculation requires having a variety of mental strategies. In particular the importance of 10 and partitioning numbers to bridge through 10 should be emphasised. For example:

$$9 + 6 = 9 + 1 + 5 = 10 + 5 = 15.$$

It is helpful to make a 10 as this makes the calculation easier. Young children benefit from being helped at an early stage to start calculating, rather than relying on 'counting on' as a way of calculating. For example, with a sum such as:

$$4 + 7 =$$

Rather than starting at 4 and counting on 7, children could use their knowledge and bridge to 10 to deduce that because  $4 + 6 = 10$ , so  $4 + 7$  must equal 11.

## Develop children's understanding of the = symbol.



The symbol = is an assertion of equivalence. If we write:  $3 + 4 = 6 + 1$

then we are saying that what is on the left of the = symbol is necessarily equivalent to what is on the right of the symbol. But many children interpret = as being simply an instruction to evaluate a calculation, as a result of always seeing it used thus:

$$3 + 4 =$$

$$5 \times 7 =$$

$$16 - 9 =$$

If children only think of = as meaning “work out the answer to this calculation” then they are likely to get confused by empty box questions such as:


$$3 + \square = 8$$

Later they are very likely to struggle with even simple algebraic equations, such as:

$$3y = 18$$

One way to model equivalence such as  $2 + 3 = 5$  is to use balance scales.

vary the position of the = symbol and include empty box problems Year 2 to deepen children's understanding of the = symbol.



## Use intelligent practice.



Children engage in a significant amount of practice of mathematics through class and homework exercises. However, in designing these exercises, the teacher is advised to avoid mechanical repetition and to create an appropriate path for practising the thinking process with increasing creativity. The practice that children engage in provides the opportunity to develop both procedural and conceptual fluency. Children are required to reason and make connections between calculations. The connections made improve their fluency. For example:


$2 \times 3 =$	$6 \times 7 =$	$9 \times 8 =$
$2 \times 30 =$	$6 \times 70 =$	$9 \times 80 =$
$2 \times 300 =$	$6 \times 700 =$	$9 \times 800 =$
$20 \times 3 =$	$60 \times 7 =$	$90 \times 8 =$
$200 \times 3 =$	$600 \times 7 =$	$900 \times 8 =$

## Move between the concrete and the abstract.

Children's conceptual understanding and fluency is strengthened if they experience concrete, visual and abstract representations of a concept during a lesson. Moving between the concrete and the abstract helps children to connect abstract symbols with familiar contexts, thus providing the opportunity to make sense of, and develop fluency in the use of, abstract symbols. For example, in a lesson about addition of fractions children could be asked to draw a picture to represent the sum:

$$\frac{1}{4} + \frac{1}{8} = \frac{3}{8}$$

Alternatively, or in a subsequent lesson, they could be asked to discuss which of three visual images correctly represents the sum, and to explain their reasoning:



## Contextualise the mathematics.



A lesson about addition and subtraction could start with this contextual story:

“There are 11 people on a bus. At the next stop 4 people get on. At the next stop 6 people get off. How many are now on the bus?”

This helps children develop their understanding of the concepts of addition and subtraction. But during the lesson the teacher should keep returning to the story. For example, if the children are thinking about this calculation:

$$14 - 8$$

then the teacher should ask the children:

“What does the 14 mean? What does the 8 mean?”, expecting that children will answer:

“There were 14 people on the bus, and 8 is the number who got off.”

Then asking the children to interpret the meaning of the terms in a sum such as  $7 + 7 = 14$  will give a good assessment of the depth of their conceptual understanding and their ability to link the concrete and abstract representations of mathematics.